


WORKZONE SAFETY SERIES



Item No: B01X



Key Feature

The material: NEW PURE HIGH QUALITY PP MATERIAL, strong and could stand high and low temperature.
 Our design: 25 pcs on one strong rubber mat, much stronger and could stand 80 tons truck.
 Our reflector: 3M Supper high grade high adhesive reflective film.

Specification

Color available: Black or Yellow.

Reflectivity: Hi intensity grade reflective film

Material: High quality New PP material

Main Section:

Item No.	Length	Width	Height	Weight	Diameter (Rolled up)
B01-1	3 meters	230mm	50mm	15kg	50cm

Package:

1 pc in one bag in one Carton
 Carton Size: 50cm X50cm X 25cm
 G.W.:15kgs



TUV Pressure Testing Reports:

Test result:

Sample No.	Force of deformation [kN]
1	677
2	636

Remark: The deformation occurred at around 650kN, continued the compress to more than 1000kN. During the test, the yellow part was deformative and extended, no crack happened.

Photos after test

68 Tons No Crack

Improved Models:



LED type



Solar type

Why Benedrive's products is your better choice?

Benedrive's advantages




Perfect Anti-slip rubber matt, which can be used for skiing park



New Pure PP Material



All sections in one unit strong rubber matt, no easy to broken



3M HI(High Intensity, Class 2) reflective films

Other poor quality products



No Anti-slip recycle rubber base



Bad material, Recycle or waste material



Bad Design, connection pins can not stand small car wheels



No reflective films

Item No: B02X



This sequential system is used to warn the vehicles about lane changes or deviations. It is a series of lights, mounted on proper supports sequentially indicating the deviation and which direction to follow.

APPLICATIONS:

- Dock light,
- Deck light
- Pathway light
- Work zone safety warning lamps
- Car emergency marker
- Road facility- Chevron signs
- Road facility - Road markers
- Architectural light



Item No.: B021

Wired power , Wired controlled sequential or synchronized guide lamps

The light is equipped with controller the synchrony/alternate signal.

5 pcs lights per set / 10 pcs lights per set optional

LED lights type Basic Dia. 200 LED

Each light has 120 pcs LEDs

-LED: Dia. 5mm Supper bright LED, use life, 15 years

-LED color: Yellow

- Cable length: 5 meters each or customized

Power supply: 12V DC

Light luminous intensity: 10000CD

Working temperature range: -40℃ to 75℃

With fixing system and Anti-theft system

24 hours operation or automatic night operation

IP degree: IP67

Item No.: B022

Wired power, Wireless controlled Sequential or

Synchro guide lamps RADIO control or GPS control

The light is equipped with GPS control / Radio control the synchrony/alternate signal.

5 pcs lights per set / 10 pcs lights per set optional

LED lights type Basic Dia. 200 LED

Each light has 120 pcs LEDs

-LED: Dia. 5mm Supper bright LED, use life, 15 years

-LED color: Yellow

- Cable length: 5 meters each or customized

Power supply: 12V DC

Light luminous intensity: 10000CD

Working temperature range: -40℃ to 75℃

With fixing system and Anti-theft system

24 hours operation or automatic night operation

IP degree: IP 65



Item No.: B0231

Solar power wireless control Lamps Sequential or Synchro guide lamps ,Radio control or GPS control
Solar power include
5 pcs lights per set / 10 pcs lights per set optional
LED lights type Basic Dia. 200 LED
Each light has 37 pcs LEDs
-LED: Dia. 5mm Supper bright LED, use life, 15 years
Power supply: 12V DC
Light luminous intensity: 10000CD
Working temperature range: -40 ℃ to 75 ℃
With fixing system and Anti-theft system
24 hours operation or automatic night operation
IP degree: IP67



Item No.: B0232

Solar power wireless control Lamps Sequential or Synchro guide lamps
,Radio control or GPS control
The light is equipped with GPS control the synchrony/alternate signal.
5 pcs lights per set
Size: Dia. 180MM
Control distance: no limit
One day recharge could works over 150 hours
Light luminous intensity: 5000CD
Blinking frequency: 60/MIN
Working temperature range: -40 ℃ to 55 ℃
With fixing system and Anti-theft system
24 hours operation or automatic night operation
IP degree: IP67



B0241

Warning panel for sequential system

Size: 29*122*40CM
With 2 sides reflective film
Weight: 3kgs



Item no.: B0242

Rubber base fro sequential system

Size: 80*60*12CM
Weight: 28kgs



Item No: TABXX

Model: TAB01X

Directional LED arrows with

1. Dia. 200mm lights (arrow size: 120 X 120 cm)
2. Dia. 100mm lights (arrow size: 90 X 90 cm)
3. Dia. 50mm lights (arrow size: 60 X 60 cm)

With 13 lights

Available models with electrical motorization

Light approved to the highest classes of EN12352

12V standard input voltage- 24V on request



3 Models photoes:



Functions: 3 types:




Dia.200mm light

Dia.100mm light


Dia.50mm

Lens sell seperately



Dia.100mm lights
Size:90cm X 90cm

More Models available:



TAB02X

Directional Arrow with control head

Right / Left / Flasher

Length 130cm

With external controller

5 pcs Dia 200mm LED lights

12V or 24V optional





Solar Portable Workzone Safety Sign ITEM NO.:TAB07X

Key Feature:

1. High Visibility
2. 1000m viewing distance at full sun light
3. Warranty – 2 years

Size:

40cm X 120cm
6cm X 120cm
or customized
With solar panel, batteries, stands
With high intensity reflective films
LED with lens , dia. 20MM

TRAFFIC ARROW BOARDS

TAB04X

TAB041, LED traffic arrows Boards 15 lamps

TAB042, LED traffic arrows Boards 25 lamps

Key Feature:

1. High Visibility
2. 1000m viewing distance at full sun light
3. Warranty – 2 years
4. Auto Dimming

Specifications:

Size: 1500cm X 760cm or customized

Material: Aluminum board

High output amber light 15 pcs, each 52 pcs LEDs

Power supply: 12V DC (24V upon request)

Small switch panel

Single Switch Panel

Double Switch Panel

Sign board case constructed from 2mm Aluminum, reducing weight and providing long life

Easy wiring, all boards have a 'Fly Lead' cable Plugs

Actuator for tilt assembly – Just plug in

Control Cable from Sign to Switch Panel – Just plug in

Power Lead, connect to power supply then, just plug in


With car power adapter (12V)

How To Order:

A type: standard type with boards and lamps

B type: With actuator lifting bracket

C type: With trailer



Flashing Arrow Left Flashing Double Arrows Hazard / Caution (Alternates) Flashing Arrow Right



Sequential Modes			Flashing Modes	
Sequential Double arrow, left / right	First pulse	Second pulse	Corner caution	Left / Right
Sequential arrow, left / right *	First pulse	Second pulse	Caution bar	Double arrow
Sequential Chevron arrow, left / right *	First pulse	Second pulse		
Alternating diamonds *	First pulse	Second pulse		



Lens, Sell separately



Controller, Sell separately



B type: Bracket



C type: Trailer

Item No: PWS021 Portable LED Warning Signals



Key Feature:

1. High Visibility > 1000m viewing distance
2. Easy to use: Unfolded in seconds
3. Portable design, light In weight and volume

Specification:

Size: Customized sign size and painting available

Square: 80cm X 80cm, 100cm X 100cm

Triangle: 70cm 90cm (border)

Round: dia.80cm, 100cm

Octagonal: 80cm X 80cm, 100cm X 100cm

Material:

Sign box: Aluminum or Iron board

High visible reflective films

N.W.: 4.5kgs (add weight parts to 6kgs available on request)

Power supply: 4.5V DC (3 pcs AA batteries)

Work time: over 100 hours

Work model: Flashing left <-> right



Portable LED Arrow Matt

Model: TAB051

Key Feature:

- High Visibility
- Instant Traffic Control
- Battery operated
- Three AA batteries for 40 hours of operation
- 500m viewing distance at full sun light

Products Specifications:

Size: 40cm X 60cm

Material: Aluminum board

High output red or amber LEDs

With 3M HI reflective film, high intensity

With stand support

With Reflector

Power supply: 3 pcs AA batteries, 4.5V DC



PWS052



PWS053



PWS051



Foldable Police Check Point
Warning Sign
PWS06



Flashing Button



Flashing Handle Sign



PWS051

Item No.: RWWL XX Flashing Road Work Lights



RWWL011



RWWL012



RWWL013



RWWL014



RWWL018



RWWL015



RWWL016



RWWL017



RWWL021



RWWL022



RWWL023



RWWL025



RWWL026



RWWL024



RWWL027



RWWL031



RWWL032



RWWL033

Item No.: RB3X Waterfilledable Barriers



Item No.: RB31
Length: 560mm
Topw Width: 130mm
Bottom Width: 400mm
Height: 560mm
Net Weight: 3 kgs



Item No.: RB32
Length: 1300mm
Topw Width: 180mm
Bottom Width: 370mm
Height: 650mm
Net Weight: 8.5 kgs
Water Capacity: 200kgs



Item No.: RB33
Length: 1650mm
Topw Width: 150mm
Bottom Width: 410mm
Height: 650mm
Net Weight: 9 kgs
Water Capacity: 300kgs

Item No.: RB34
Length: 1500mm
Topw Width: 250mm
Bottom Width: 460mm
Height: 800mm
Net Weight: 13 kgs
Water Capacity: 250kgs



Item No.: RB37
Length: 2000mm
Topw Width: 145mm
Bottom Width: 400mm
Height: 800mm
Net Weight: 17kgs
Water Capacity: 400kgs



Item No.: RB38
Size: 360*360*800mm
Net Weight: 1.8 kgs




Item No.: RB35
Length: 1200mm
Top Width: 80mm
Bottom Width: 260mm
Height: 600mm
Net Weight: 6 kgs
Water Capacity: 60kgs


Item No.: RB36
Length: 1500mm
Topw Width: 150mm
Bottom Width: 430mm
Height: 1200mm
Net Weight: 14 kgs
Water Capacity: 200kgs




Item No.: RB02X Iron Road Barriers

Item No.:RB21 **Rubber Base**

Height	95mm
Weight	9.8kg
Diameter	390mm

Item No.:RB22 **Rubber Base**

Height	117mm
Weight	25.3kg
Length	600mm
Width	205mm

Item No.:RB23 **Rubber Base**

Height	100mm
Weight	6.2kg
Length	630mm
Width	140mm

Item No.:RB24 **Base**

Height	265mm
Weight	1kg/对
Length	390mm

265mm 390mm


785mm

Item No.: RB12
Iron road barrier

Height	1040mm
Weight	7.58kg
Width	1900mm

Features:

1. made by of good metal
2. available hot dipped galvanised or powder coated models
3. sizes can be customized
4. rubber or metal feet can be available
5. orange
、silvery、white、yellow colors can be available

Item No.: RB13
Iron road barrier


Height	2000mm
Weight	8.74kg
Width	1000mm



Plastic Safety Barricades



Length	1950mm
Height	1000mm
Width	55mm
Total Weight	11.5kg
Board Weight	6.5kg




PLASTIC 2M BARRIER
2m barrier
including 2 bases
With reflective red/white films

Model	WL-004
Length	1180mm
Height	1100mm
Width	48mm
Base Weight	6.5kg
Board Weight	7kg



Model	WL-003
Length	2200mm
Height	1060mm
Width	45mm
Total Weight	22.5kg
Board Weight	9.5kg



Model	WL-005
Length	1180mm
Height	1100mm
Width	45mm
Board Weight	6.5kg

Length	2280mm
Height	1200mm
Width	65mm
Total Weight	15kg
Board Weight	11kg



Expendable barricade



Model No.: 2204

Name: Plastic Expandable Barricade

Size: 100X200cm

Net Weight: 3 kgs

Advantages

- Quick and easy setup/ Take down/ Storage and Locks in to position at desired length
- The plastic slats and legs are durable and lightweight
- Water-filled legs to add weight for extra stability
- Appropriate for indoor and outdoor purposes
- Expand to 2.5 meters and retract 34 cm



- High-impact and temperature resistant
- Quick and easy setup / take down / storage
- Locks into position at desired length
- Water-fillable legs to add weight for extra stability
- Expand to 3.5m and retract 42cm

Model: 2206

Name: Plastic expandable barricade

Size: 100x350mm

Net Weight: 5.0 kgs

Expendable Barricade



Material: PVC
Height: 940
Length: 34-250cm
Weight: 2.2kgs

Expandable barricade
Material: Steel with painting
Height: 95
Length: 35-350cm
Weight: 11kgs




A frame floor standing signs



Plastic Traffic Barricade

- Barricade with frame and varied-length bar with engineer grade reflective sheeting
- Accepts a standard barricade light on each A-Frame
- Stackable for storage and transportation

Model	JC2205
Name	Plastic Traffic Barricade
Height	1000mm
Top Width	700mm
Bar Width	900x40mm
Net Weight	2x2.75kg+1.3kg(1m bar)




Plastic Traffic Barricade

Model	JC2208
Name	Plastic Traffic Barricade
Height	1100mm
Width	600mm
Net Weight	6.2kg

- One Piece Molded Folding Barricades are sturdy and easy to handle.
- Lightweight and stackable to allow ease of handling.
- This barricade is designed to yield upon impact to minimize vehicle damage.

PVC safety fence Warning barrier tapes



JC6501	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6502	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg
JC6503	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6504	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg
JC6505	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6506	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg
JC6507	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6508	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg

Traffic Drum

Plastic Traffic Drum

- Traffic drum barricade is made of rugged, durable low density polyethylene
- Large carry handle on drum for easy transportation
- Bright orange color resists fading from the sun's UV ray
- Stackable for easy storage

Model	JC2201
Name	Plastic Traffic Drum
Height	1000mm
Top Width	400mm
Bottom Width	450mm
Net Weight	4.5kg
Water Capacity	100kg
Reflective band	9.5cm



Plastic Traffic Drum



- Drum designed to inhibit roll after impact to eliminate further hazards or potential damage
- Includes mounting port for optional barricade light
- Each drum includes a recycled rubber base to hold the drum in place
- Bright orange color resists fading from the sun's UV rays

Model	JC2202
Name	Plastic Traffic Drum
Height	1250mm
Top Width	520mm
Bottom Width	900mm
Net Weight	16kg
Water Capacity	9.7kg
Reflective band	9cm

Plastic Traffic Drum



- Traffic drum barricade is made of rugged, durable low density polyethylene
 - Large carry handle on drum for easy transportation
 - Aesthetic appearance and color, ideal functional road decoration
 - Includes mounting port for optional barricade light
- Available in other colors

Model	JC2207
Name	Plastic Traffic Drum
Diameter	450mm
Height	900mm
Net Weight	3.50kg

Traffic Cones



PVC CONES

Height: 900mm, 750mm, 700mm, 470mm, 450mm, 300mm



PVC + Rubber Cones

PE+Rubber base Cones

Height: 100cm, 75cm, 50cm



Rubber Cones

Height: 100cm, 75cm, 50cm



可以任意碾压



不会造成汽车磨损



碾压后恢复原状

Floor Stand Warning Cones



A frame floor standing Sign

Height	570mm
Weight	5.8kg
Bottom	400x400mm
Length	610mm
Top Width	205mm
Bottom Width	295mm



Rubber Cones
Height:75cm



Traffic cone topper with retractable safety belt



Retractable barricade
Length: 2, 3, 5 meters
Color : Red/White or Yellow/ Black
Width: 5 cm
Solar model available



Retractable barricade
Length: 5 ,9 meters
Color : Red/White or Yellow/ Black
Width: 5 cm
Solar model available



Reflective Warning Bollards

T-TOP Waring Post

- Convenient T-top carry handle and molded in bolt hole for flashing light
- Improved recesses create a deeper area for reflective bands – stronger ribs provide maximum band protection
- Simple set-up by locking post into base
- Traction from rubber base prevents post from moving in rainy conditions



JC3101C



JC3101A



JC3101B



JC3101C

Warning Post



JC3102



JC3103



JC3108



- Ideal for construction work zones, airports, parking lots and job sites of all kind
- Simple set-up by locking post into base
- Traction from rubber base prevents post from moving in rainy conditions
- Looper handle can accommodate caution tape, flag line or rope

Model	Name	Height	Net Weight	Reflective band	Package
JC3101	T-TOP Waring Post	115cm	6.75kg	25cm	10Pcs/Bag
JC3102	Warning Post	115cm	6.75kg	10cm+10cm	10Pcs/Bag
JC3103	Warning Post	115cm	7.00kg	25cm	10Pcs/Bag
JC3108	Warning Post	125cm	9.5kg	14.5cm	

R

Warning Board



JC3301

JC3302

JC3305

Model	Name	Height	Net Weight	Package
JC3301	Warning Board	1100mm	14kg+1.5kg	10PCS/Bag
JC3302	Warning Board	1100mm	11kg+2kg	10PCS/Bag
JC3305	Warning Board	1350mm	28kg+2.5kg	10PCS/Bag



JSB-001

Height	1100mm
Total Weight	13kg
Board Weight	2kg
Base Weight	11kg
Base Size	L500 x W500 x H45mm
Board Size	H1100 x W310mm



JSB-002

Height	1100mm
Total Weight	18kg
Board Weight	2kg
Base Weight	16kg
Base Size	L700 x W400 x H80mm
Board Size	H1100 x W240mm



JSB-003

Height	1100mm
Total Weight	16kg
Board Weight	1kg
Base Weight	15kg
Base Size	L670 x W400 x H80mm
Board Size	H1000 x W220mm



JSB-004

Height	800mm
Total Weight	8kg
Board Weight	1kg
Base Size	L370 x W320 x H100mm
Board Size	H725 x W200mm



JSB-004

Length	116mm
Weight	2.4kg
Width	250mm

Warning Post



JC3109A




JC3109B

-




Model	Name	Specification	Package
JC6401	Plastic Chain	Link Dia: 2mm, Chain Size(Inner Lx Outer W): 10x8mm	16Bags/CTN CTN Size: 50x32x18cm GW: 8kg NW: 7kg
JC6402	Plastic Chain	Link Dia: 3mm, Chain Size(Inner Lx Outer W): 13x12mm	16Bags/CTN CTN Size: 50x32x23cm GW: 11kg NW: 10kg
JC6403	Plastic Chain	Link Dia: 4mm, Chain Size(Inner Lx Outer W): 25x18mm	16Bags/CTN CTN Size: 50x30x27cm GW: 13.5kg NW: 12.5kg
JC6404	Plastic Chain	Link Dia: 6mm, Chain Size(Inner Lx Outer W): 27x20mm	8Bags/CTN CTN Size: 50x36x25cm GW: 13.5kg NW: 12.5kg
JC6405	Plastic Chain	Link Dia: 6mm, Chain Size(Inner Lx Outer W): 41x21mm	8Bags/CTN CTN Size: 50x36x27cm GW: 14.2kg NW: 13.2kg
JC6406	Plastic Chain	Link Dia: 6mm, Chain Size(Inner Lx Outer W): 24x22mm	8Bags/CTN CTN Size: 50x36x27cm GW: 15kg NW: 14kg
JC6407	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 54x27mm	8Bags/CTN CTN Size: 50x35x38cm GW: 21.5kg NW: 20.5kg
JC6408	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 50x26mm	8Bags/CTN CTN Size: 50x35x42cm GW: 27kg NW: 26kg
JC6409	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 38x25mm	8Bags/CTN CTN Size: 50x35x38cm GW: 29kg NW: 28kg
JC6410	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 34x24mm	8Bags/CTN CTN Size: 50x35x42cm GW: 29kg NW: 28kg
JC6411	Plastic Chain	Link Dia: 10mm, Chain Size(Inner Lx Outer W): 56x40mm	6Bags/CTN CTN Size: 50x36x32cm GW: 30kg NW: 29kg
JC6412	Plastic Chain	Link Dia: 12mm, Chain Size(Inner Lx Outer W): 66x42mm	4Bags/CTN CTN Size: 50x36x45cm GW: 31kg NW: 30kg



Reflective umbrella Cone Sign

1. Unfold is umbrella cone, 3 faces relective
2. Easy to carry when folded
3. Stable and durable



Reflective Cone Flags

Safety Vest and Series

Safety Vest



JC6301



JC6302



JC6303



JC6304

- These vests keep workers safe on the job and provide long-lasting use
- Features 100% polyester fabric and velcro closure
- CE EN471 Class 2 approved and available in orange and lime

Safety Coat/Pant



JC6307



JC6305



JC6308



JC6306

- Features 100% oxford fabric with PU coated
- Fully taped seams ensure waterproof protection and padding fixed quilted lining except JC-6306
- CE EN471 Class 2 approved and available in orange and lime

Model	Name	Size	Package
JC6301	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x28x50cm GW: 8.5kg NW: 7.5kg
JC6302	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x27x48cm GW: 14kg NW: 13kg
JC6303	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x27x48cm GW: 16kg NW: 15kg
JC6304	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x28x50cm GW: 8.5kg NW: 7.5kg
JC6305	Safety Coat	S-XXXL	10Pcs/CTN CTN Size: 70x47x30cm GW: 8kg NW: 7kg
JC6306	Safety Pant	S-XXXL	25Pcs/CTN CTN Size: 46x37x24cm GW: 11.2kg NW: 10.2kg
JC6307	Safety Coat	S-XXXL	10Pcs/CTN CTN Size: 65x42x38cm GW: 13kg NW: 12kg
JC6308	Safety Coat	S-XXXL	10Pcs/CTN CTN Size: 65x42x38cm GW: 13kg NW: 12kg

